



July 2015

# 2015 WESTERN NORTH PACIFIC BASIN TROPICAL CYCLONE PREDICTIONS

## 2015 TROPICAL CYCLONE PREDICTIONS

The Guy Carpenter Asia-Pacific Climate Impact Centre (GCACIC) and the School of Energy and Environment, City University of Hong Kong have released their 2015 predictions for tropical cyclone formations and landfalls.

The region is currently experiencing El Niño conditions that are predicted (with a more than a 90 percent chance) to continue through the Fall of 2015, as stated in the June 11, 2015 advisory from the Climate Prediction Centre (NOAA/U.S.). Consistent with El Niño years, the prediction shows fewer than average tropical cyclone landfalls in the Western North Pacific Basin, especially in the southern part of the region.

T-1 | 2015 PREDICTIONS FOR THE NUMBER OF TROPICAL CYCLONES

Comparison of the Historical and Projected Number of Tropical Cyclones (The projection period is from June 1, 2015 through November 30, 2015)		
	2000-2010 Average Number of Tropical Cyclone Formations (JTWC)	Regional Climate Model Forecast (GCACIC)
Tropical Cyclone Formations	23.0	19.9
Tropical Cyclone Landfalls	17.4	10.3

(Source: The Joint Typhoon Warning Center and the Guy Carpenter Asia-Pacific Climate Impact Centre)

T-2 | 2015 PREDICTIONS FOR THE NUMBER OF TROPICAL CYCLONE LANDFALLS BY REGION


Comparison of the Historical and Projected Number of Tropical Cyclone Landfalls (The projection period is from June 1, 2015 through November 30, 2015)		
Region	2000-2010 Average Number of Tropical Cyclone Formations (JTWC)	Regional Climate Model Forecast (GCACIC)
Japan and Korea	4.5	3.0
Eastern China and Taiwan	4.4	3.3
South China, Vietnam and the Philippines	8.5	4.0

(Source: The Joint Typhoon Warning Center and the Guy Carpenter Asia-Pacific Climate Impact Centre)

In table T-2, tropical cyclone landfalls are counted in each region they pass through. The number of landfalls in table T-1 are the total across all three regions.

The current El Niño conditions of above average sea surface temperatures (SSTs) along the eastern equatorial Pacific Ocean will continue through November 2015. The above average SST predictions in the El Niño regions for June through November are shown in the following chart.

F-1 | CLIMATE FORECAST SYSTEM V2, SEA SURFACE TEMPERATURE PREDICTION FOR JULY THROUGH NOVEMBER MINUS THE AVERAGE FROM 2000 TO 2010



(Source: Climate Forecast System V2)

A study by Wang and Chan<sup>1</sup> shows a distinction needs to be made between strong and moderate El Niño periods. If this distinction is not made the impact of El Niño would be overstated in moderate El Niño periods and understated in strong El Niño periods. The findings from this study show that during strong El Niño years the tropical cyclone formations tend to shift southeastward, their lifespan is longer and their tracks are significantly different with more cyclones recurving northward.

Another study by Camargo and Sobel<sup>2</sup> focused on the 13 strongest El Niño years between 1950 and 2002 and concluded that during El Niño years, tropical cyclones have a longer life span and a stronger intensity with more Saffir Simpson Scale Category 3 to 5 storms.

1 Wang B. and J.C.L. Chan (2002): How strong ENSO events affect tropical storm activity over the Western North Pacific. *Journal of Climate*, **15**, 3252–3265


2 Camargo S.J. and A. H. Sobel, 2005: Western North Pacific Tropical Cyclone Intensity and ENSO. *Journal of Climate*, **18**, 2996–3006.

## DETAIL OF FINDINGS

A recent study<sup>3</sup> in 2014 by Huang<sup>4</sup> and Chan<sup>5</sup> shows it is possible to use a regional climate model to more accurately predict the number of tropical cyclone formations compared to predictions based solely on a global climate model. In this document, RegCM3 refers to this Regional Climate Model, Version 3, while CFSv2 is the global Climate Forecast System, version 2, from the U.S. National Center for Environmental Prediction.

The global Climate Forecast System is used by the RegCM3 as initial boundary conditions for a dynamic downscaling model to predict the number of tropical cyclone formations and the number of landfalls with a lead time of one to six months. Predictions for the number of tropical cyclone landfalls are provided for three regions listed in the table below and shown in the corresponding map.

### F-2 | SELECTED DOMAIN FOR STC, MTC AND NTC



(Source: Guy Carpenter Asia-Pacific Climate Impact Centre)

Code	Name	Region	Provinces in China
NTC	Northern Tropical Cyclones	Japan and Korea	N/A
MTC	Middle Tropical Cyclones	Eastern China and Taiwan	Jiangsu, Shanghai, Zhejiang, Fujian
STC	Southern Tropical Cyclones	South China, Vietnam and the Philippines	Guangdong, Guangxi and Hainan

<sup>3</sup> Huang, W.R. and J. C. L. Chan, 2014: Dynamical downscaling forecasts of western North Pacific tropical cyclone genesis and landfall. *Climate Dynamics*, **42**, 2227–2237


<sup>4</sup> Department of Earth Sciences, National Taiwan Normal University

<sup>5</sup> Guy Carpenter Asia-Pacific Climate Impact Centre and the School of Energy and Environment, City University of Hong Kong

## LANDFALL CYCLONES BY REGION

The forecast suggests fewer than average tropical cyclones will make landfall in East Asia in 2015 for the months of June through November. The chart on the right shows the landfall predictions based on the regional cyclone model (green dotted line), the global model (red lines) and the 2000 through 2010 historical average (blue bars).

## F-3 | LANDFALL PREDICTIONS




(Source: Guy Carpenter Asia-Pacific Climate Impact Centre)

## CYCLONE FORMATIONS BY LOCATION


The charts below show the tropical cyclone formations for June through November. The legend refers to the number of tropical cyclone formations in an area corresponding to 5 degrees latitude and 5 degrees longitude over a one year period.

### F-4 | CYCLONE FORMATIONS PER YEAR FOR 2000 TO 2010 (INCLUDES THE MONTHS OF JUNE THROUGH NOVEMBER)



(Source: Joint Typhoon Warning Center)


### F-5 | 2015 PREDICTED CYCLONE FORMATIONS - REGIONAL CLIMATE MODEL (INCLUDES THE MONTHS OF JUNE THROUGH NOVEMBER)



(Source: Guy Carpenter Asia-Pacific Climate Impact Centre)

The chart below shows the difference with red areas being a decrease in tropical cyclone formations and the blues being an increase from the historical average.


**F-6 | HISTORICAL AVERAGE VERSUS 2015 PREDICTIONS  
(INCLUDES THE MONTHS OF JUNE THROUGH NOVEMBER)**



## COMPARISON OF PREDICTIONS

Each tropical cyclone prediction is for a six month period. In the chart below, the light green line represents the initial predictions for the months April, May, June, July, August and September (AMJJAS). These predictions have been updated twice for May through October (MJJASO; red line) and June through November (JJASON; purple line). The light blue bar represents the most recent observations. The thick blue line is the historical average for 2000 through 2010 based on data from the JTWC. Overall, the regional climate model is predicting fewer than average tropical cyclone formations for June through November. The forecasts are based on an ensemble of simulations, which is why there can be a fractional number of landfalls.

**F-7 | REGIONAL FORECAST MODEL OF TROPICAL CYCLONE ACTIVITY  
IN THE WESTERN NORTH PACIFIC BASIN**



(Source: Guy Carpenter Asia-Pacific Climate Impact Centre)

Updates to this study and the full report will be available at <http://www.cityu.edu.hk/gcacic>.

Readers should be aware that these are predictions and, as such, the actual tropical cyclone activity can vary significantly from the predictions shown in this report.

## CONTACTS

### James Nash

CEO,  
Asia Pacific  
Tokyo  
+81 3 5308 3939  
[James.Nash@guycarp.com](mailto:James.Nash@guycarp.com)

### Michael Owen

Managing Director,  
GC Analytics  
Singapore  
+65 6922 1951  
[Michael.G.Owen@guycarp.com](mailto:Michael.G.Owen@guycarp.com)

## References

- Camargo, S.J. and A. H. Sobel, 2005: Western North Pacific Tropical Cyclone Intensity and ENSO. *J. Climate*, **18**, 2996–3006.
- Hsu, P.C., C.R. Ho, S.J. Liang, and N.J. Kuo, “Impacts of Two Types of El Niño and La Niña Events on Typhoon Activity,” *Advances in Meteorology*, vol. 2013, Article ID 632470, 8 pages, 2013. doi:10.1155/2013/632470
- Huang, W.R. and J. C. L. Chan, 2014: Dynamical downscaling forecasts of western North Pacific tropical cyclone genesis and landfall. *Climate Dyn.*, **42**, 2227–2237
- Iizuka, S. and T. Matsuura, 2008: ENSO and western North Pacific tropical cyclone activity simulated in a CGCM. *Climate Dyn.*, **30**, 815–830.
- Kim, H.M., P.J. Webster, and J.A. Curry, 2011: Modulation of North Pacific Tropical Cyclone Activity by Three Phases of ENSO. *Journal of Climate* **24**:6, 1839-1849.
- Wang, B., and J. C. L. Chan, 2002: How strong ENSO events affect tropical storm activity over the western North Pacific. *J. Climate*, **15**, 1643-1658.
- Zhao, H., L. Wu and W. Zhou, 2011: Interannual Changes of Tropical Cyclone Intensity in the Western North Pacific. *Journal of the Meteorological Society of Japan* **89**, 243-253.
- Zhang, W., Y. Leung, and K. Fraedrich, 2015: Different El Niño types and intense typhoons in the Western North Pacific. *Climate Dynamics*.

### About Guy Carpenter

Guy Carpenter & Company, LLC is a global leader in providing risk and reinsurance intermediary services. With over 50 offices worldwide, Guy Carpenter creates and executes reinsurance solutions and delivers capital market solutions\* for clients across the globe. The firm's full breadth of services includes line-of-business expertise in agriculture; aviation; casualty clash; construction and engineering; cyber solutions; excess and umbrella; excess and surplus lines; healthcare & life; marine and energy; mutual insurance companies; political risk and trade credit; professional liability; property; public sector; retrocessional reinsurance; surety; terrorism and workers compensation. GC Fac® is Guy Carpenter's dedicated global facultative reinsurance unit that provides placement strategies, timely market access and centralized management of facultative reinsurance solutions. In addition, GC Analytics®\*\* utilizes industry-leading quantitative skills and modelling tools that optimize the reinsurance decision-making process and help make the firm's clients more successful. For more information, visit [www.guycarp.com](http://www.guycarp.com) and follow Guy Carpenter on Twitter @GuyCarpenter.

Guy Carpenter is a wholly owned subsidiary of Marsh & McLennan Companies (NYSE: MMC), a global professional services firm offering clients advice and solutions in the areas of risk, strategy, and people. With annual revenue of \$13 billion, Marsh & McLennan's 57,000 colleagues worldwide provide analysis, advice, and transactional capabilities to clients in more than 130 countries through: Marsh, a leader in insurance broking and risk management; Mercer, a leader in talent, health, retirement, and investment consulting; and Oliver Wyman, a leader in management consulting. Marsh & McLennan is committed to being a responsible corporate citizen and making a positive impact in the communities in which it operates. Visit [www.mmc.com](http://www.mmc.com) for more information.

\*Securities or investments, as applicable, are offered in the United States through GC Securities, a division of MMC Securities Corp., a US registered broker-dealer and member FINRA/NFA/SIPC. Main Office: 1166 Avenue of the Americas, New York, NY 10036. Phone: (212) 345-5000. Securities or investments, as applicable, are offered in the European Union by GC Securities, a division of MMC Securities (Europe) Ltd. (MMCSEL), which is authorized and regulated by the Financial Conduct Authority, main office 25 The North Colonnade, Canary Wharf, London E14 5HS. Reinsurance products are placed through qualified affiliates of Guy Carpenter & Company, LLC. MMC Securities Corp., MMC Securities (Europe) Ltd. and Guy Carpenter & Company, LLC are affiliates owned by Marsh & McLennan Companies. This communication is not intended as an offer to sell or a solicitation of any offer to buy any security, financial instrument, reinsurance or insurance product. \*\*GC Analytics is a registered mark with the U.S. Patent and Trademark Office.

### Disclaimer

The data and analysis provided by Guy Carpenter herein or in connection herewith are provided “as is”, without warranty of any kind whether express or implied. The analysis is based upon data provided by the company or obtained from external sources, the accuracy of which has not been independently verified by Guy Carpenter. Neither Guy Carpenter, its affiliates nor their officers, directors, agents, modelers, or subcontractors (collectively, “Providers”) guarantee or warrant the correctness, completeness, currentness, merchantability, or fitness for a particular purpose of such data and analysis. The data and analysis is intended to be used solely for the purpose of the company internal evaluation and the company shall not disclose the analysis to any third party, except its reinsurers, auditors, rating agencies and regulators, without Guy Carpenter's prior written consent. In the event that the company discloses the

data and analysis or any portion thereof, to any permissible third party, the company shall adopt the data and analysis as its own. In no event will any Provider be liable for loss of profits or any other indirect, special, incidental and/or consequential damage of any kind howsoever incurred or designated, arising from any use of the data and analysis provided herein or in connection herewith.

Statements or analysis concerning or incorporating tax, accounting or legal matters should be understood to be general observations or applications based solely on our experience as reinsurance brokers and risk consultants and may not be relied upon as tax, accounting or legal advice, which we are not authorized to provide. All such matters should be reviewed with the client's own qualified advisors in these areas.

Readers are cautioned not to place undue reliance on any historical, current or forward-looking statements. Guy Carpenter & Company, LLC undertakes no obligation to update or revise publicly any historical, current or forward-looking statements, whether as a result of new information, research, future events or otherwise.

This document or any portion of the information it contains may not be copied or reproduced in any form without the permission of Guy Carpenter & Company, LLC, except that clients of Guy Carpenter & Company, LLC need not obtain such permission when using this report for their internal purposes.

The trademarks and service marks contained herein are the property of their respective owners.

Guy Carpenter Briefing  
© 2015 Guy Carpenter & Company, LLC